

Data Acceptance Program (DAP) Assessment Report

Project Number: 4787589426 / Assessment conducted on January 10-12, 2017 / File Number: DA592

Standard Number:	Standard Title:	Standard Edition (Amendment):	Clause:	Test method:
ATTACHMENT A - Post Audit Scope (533 Tests Total)				
CSA C22.2 NO. 9.0-96	LUMINAIRES	2006	13.15	DEFLECTION TEST
CSA C22.2 NO. 9.0-96	LUMINAIRES	2006	13.7	SWIVEL JOINT TORSION AND PULL
CSA-C22.2 No. 250.13	Light Emitting Diode (LED) Equipment for Lighting Applications	2	9.10	INSULATION-PIERCING CONNECTION THERMAL CYCLING
CSA-C22.2 No. 250.13	Light Emitting Diode (LED) Equipment for Lighting Applications	2	9.11	ADHESIVE SUPPORT TEST
CSA-C22.2 No. 250.13	Light Emitting Diode (LED) Equipment for Lighting Applications	2	9.12.1	ENVIRONMENTAL TESTS - HUMIDITY EXPOSURE
CSA-C22.2 No. 250.13	Light Emitting Diode (LED) Equipment for Lighting Applications	2	9.12.2	WATER EXPOSURE
CSA-C22.2 No. 250.13	Light Emitting Diode (LED) Equipment for Lighting Applications	2	9.13	MECHANICAL STRENGTH TESTS FOR METAL ENCLOSURES
CSA-C22.2 No. 250.13	Light Emitting Diode (LED) Equipment for Lighting Applications	2	9.2	INPUT TEST
CSA-C22.2 No. 250.13	Light Emitting Diode (LED) Equipment for Lighting Applications	2	9.3	TEMPERATURE
CSA-C22.2 No. 250.13	Light Emitting Diode (LED) Equipment for Lighting Applications	2	9.4	DIELECTRIC VOLTAGE WITHSTAND TEST
CSA-C22.2 No. 250.13	Light Emitting Diode (LED) Equipment for Lighting Applications	2	9.5.2	ABNORMAL TESTS - COMPONENT FAILURE
CSA-C22.2 No. 250.13	Light Emitting Diode (LED) Equipment for Lighting Applications	2	9.5.3	ABNORMAL TESTS - OUTPUT LOADING
CSA-C22.2 No. 250.13	Light Emitting Diode (LED) Equipment for Lighting Applications	2	9.5.4	ABNORMAL TESTS - OUTPUT LOADING - ALTERNATE METHOD
CSA-C22.2 No. 250.13	Light Emitting Diode (LED) Equipment for Lighting Applications	2	9.6	50 W POINT POWER MEASUREMENT TEST
CSA-C22.2 No. 250.13	Light Emitting Diode (LED) Equipment for Lighting Applications	2	9.7	LEAKAGE CURRENT MEASUREMENT TEST
CSA-C22.2 No. 250.13	Light Emitting Diode (LED) Equipment for Lighting Applications	2	9.8	CORD STRAIN AND PUSH-BACK RELIEF TEST
CSA-C22.2 No. 250.13	Light Emitting Diode (LED) Equipment for Lighting Applications	2	ANNEX A.4-A.9	LED CONTROLGEAR - DETERMINATION OF LED CLASS 2
UL 1029	HIGH-INTENSITY-DISCHARGE LAMP BALLASTS	5	19	LEAKAGE CURRENT
UL 1029	HIGH-INTENSITY-DISCHARGE LAMP BALLASTS	5	20	INPUT
UL 1029	HIGH-INTENSITY-DISCHARGE LAMP BALLASTS	5	21	TEMPERATURE
UL 1029	HIGH-INTENSITY-DISCHARGE LAMP BALLASTS	5	22	RECESSED USE ABNORMAL TEMPERATURE
UL 1029	HIGH-INTENSITY-DISCHARGE LAMP BALLASTS	5	23	DIELECTRIC VOLTAGE-WITHSTAND
UL 1029	HIGH-INTENSITY-DISCHARGE LAMP BALLASTS	5	24	BURNOUT
UL 1029	HIGH-INTENSITY-DISCHARGE LAMP BALLASTS	5	25.1	PULLOUT/BENDING/TWISTING
UL 1029	HIGH-INTENSITY-DISCHARGE LAMP BALLASTS	5	26.1	WATER SPRAY
UL 1286	Office Furnishings	5	20	GROUNDING-IMPEDANCE
UL 1286	Office Furnishings	5	21	DIELECTRIC VOLTAGE-WITHSTAND
UL 1286	Office Furnishings	5	22	TEMPERATURE
UL 1286	Office Furnishings	5	24.1	IMPACT TEST - ALL ENCLOSURES
UL 1286	Office Furnishings	5	24.2	IMPACT TEST - FURNISHING SUPPORTING ENCLOSURES
UL 1286	Office Furnishings	5	24.3	STRENGTH OF ENCLOSURE: COMPRESSION
UL 1286	Office Furnishings	5	24.4	STRENGTH OF ENCLOSURE: DEFLECTION
UL 1286	Office Furnishings	5	24.5	MOLD STRESS TEST
UL 1286	Office Furnishings	5	24.6	STRENGTH OF ENCLOSURE: SNAP-FIT COVER
UL 1286	Office Furnishings	5	26	ELECTRICAL CONNECTING ASSEMBLIES
UL 1286	Office Furnishings	5	27	STRAIN RELIEF
UL 1286	Office Furnishings	5	28	CONDUCTOR SECURENESS
UL 1286	Office Furnishings	5	29	MATING CONNECTOR SEPARATION
UL 1286	Office Furnishings	5	30	SPILL
UL 1286	Office Furnishings	5	31	KNOCKOUT

Data Acceptance Program (DAP) Assessment Report

Project Number: 4787589426 / Assessment conducted on January 10-12, 2017 / File Number: DA592

Standard Number:	Standard Title:	Standard Edition (Amendment):	Clause:	Test method:
UL 1286	Office Furnishings	5	CLAUSE TABLE 33.3, SECTION 4.2	ANSI/BIFMA X 5.5, 2008 - STABILITY WITH EXTENDIBLE ELEMENTS
UL 1286	Office Furnishings	5	TABLE 33.1, SECTION 12.1	UPWARD FORCE STATIC DISENGAGEMENT TEST FOR PANEL MOUNTED COMPONENTS
UL 1286	Office Furnishings	5	TABLE 33.1, SECTION 12.2	UPWARD FORCE IMPACT DISENGAGEMENT TEST FOR PANEL MOUNTED COMPONENTS
UL 1286	Office Furnishings	5	TABLE 33.1, SECTION 5.1	FORCE STABILITY TEST
UL 1286	Office Furnishings	5	TABLE 33.1, SECTION 5.2	IMPACT STABILITY TEST
UL 1286	Office Furnishings	5	TABLE 33.1, SECTION 5.3	FORCE STABILITY FOR FREESTANDING SCREENS TEST
UL 1286	Office Furnishings	5	TABLE 33.1, SECTION 6.2	PANEL SYSTEM STRENGTH TEST - STATIC FUNCTIONAL LOAD
UL 1286	Office Furnishings	5	TABLE 33.1, SECTION 6.3	PANEL SYSTEM STRENGTH TEST - STATIC PROOF LOAD
UL 1286	Office Furnishings	5	TABLE 33.1, SECTION 8.1	PRIMARY SURFACE CONCENTRATED FUNCTIONAL LOAD TEST
UL 1286	Office Furnishings	5	TABLE 33.1, SECTION 8.2	HORIZONTAL SURFACE DISTRIBUTED - FUNCTIONAL LOAD
UL 1286	Office Furnishings	5	TABLE 33.1, SECTION 8.3	PRIMARY SURFACE CONCENTRATED PROOF LOAD TESTS
UL 1286	Office Furnishings	5	TABLE 33.1, SECTION 8.4	HORIZONTAL SURFACE DISTRIBUTED - PROOF LOAD TEST
UL 1286	Office Furnishings	5	TABLE 33.1, SECTION 8.5	TRANSACTION SURFACE TORSIONAL LOAD TEST
UL 1286	Office Furnishings	5	TABLE 33.1, SECTION 8.6	FUNCTIONAL LOAD TEST FOR PANEL MOUNTED STORAGE UNITS - STATIC
UL 1286	Office Furnishings	5	TABLE 33.1, SECTION 8.7	PROOF LOAD TEST FOR PANEL MOUNTED STORAGE UNITS - STATIC
UL 1286	Office Furnishings	5	TABLE 33.2, SECTION 10	STORAGE UNIT DROP
UL 1286	Office Furnishings	5	TABLE 33.2, SECTION 16	INTERLOCK TEST
UL 1286	Office Furnishings	5	TABLE 33.2, SECTION 18	CLOTHES RAILS STATIC LOADING TEST
UL 1286	Office Furnishings	5	TABLE 33.2, SECTION 4	UNIT STRENGTH TEST
UL 1286	Office Furnishings	5	TABLE 33.2, SECTION 5	LEG/GLIDE ASSEMBLY TEST
UL 1286	Office Furnishings	5	TABLE 33.2, SECTION 6	RACKING RESISTANCE TEST
UL 1286	Office Furnishings	5	TABLE 33.2, SECTION 7.1	TOP LOAD EASE TEST – CYCLIC
UL 1286	Office Furnishings	5	TABLE 33.2, SECTION 7.2	DROP TEST – DYNAMIC – FOR UNITS WITH SEAT SURFACES
UL 1286	Office Furnishings	5	TABLE 33.2, SECTION 7.3	DURABILITY TEST FOR UNITS WITH SEATING SURFACES – CYCLIC IMPACT
UL 1286	Office Furnishings	5	TABLE 33.2, SECTION 8.1	HORIZONTAL DISENGAGEMENT TEST FOR TALL STORAGE UNITS WITH ATTACHED OR STACKABLE COMPONENTS
UL 1286	Office Furnishings	5	TABLE 33.2, SECTION 8.2	UPWARD FORCE DISENGAGEMENT TEST FOR STORAGE UNITS

Data Acceptance Program (DAP) Assessment Report

Project Number: 4787589426 / Assessment conducted on January 10-12, 2017 / File Number: DA592

Standard Number:	Standard Title:	Standard Edition (Amendment):	Clause:	Test method:
UL 1286	Office Furnishings	5	TABLE 33.2, SECTION 9.2	HORIZONTAL FORCE STABILITY TEST FOR TALL STORAGE UNITS WITHOUT EXTENDIBLE ELEMENTS
UL 1286	Office Furnishings	5	TABLE 33.2, SECTION 9.3	STABILITY TEST FOR TYPE L UNITS WITH AT LEAST ONE EXTENDIBLE ELEMENT
UL 1286	Office Furnishings	5	TABLE 33.2, SECTION 9.4	STABILITY TEST FOR TYPE L STORAGE UNITS WITH MULTIPLE EXTENDIBLE ELEMENTS
UL 1286	Office Furnishings	5	TABLE 33.2, SECTION 9.5	STABILITY TEST FOR TYPE LL STORAGE UNITS HAVING EXTENDIBLE ELEMENTS
UL 1286	Office Furnishings	5	TABLE 33.2, SECTION 9.6	VERTICAL FORCE STABILITY TEST FOR UNITS WITHOUT EXTENDIBLE ELEMENTS
UL 1286	Office Furnishings	5	TABLE 33.2, SECTION 9.7	STABILITY TEST FOR PEDESTALS/STORAGE UNITS WITH SEAT SURFACES
UL 1286	Office Furnishings	5	TABLE 33.3, SECTION 13	ANSI/BIFMA X 5.5, 2008 - INTERLOCK STRENGTH
UL 1286	Office Furnishings	5	TABLE 33.3, SECTION 15	ANSI/BIFMA X 5.5, 2008 - WORK SURFACE VERTICAL ADJUSTMENT
UL 1286	Office Furnishings	5	TABLE 33.3, SECTION 16	ANSI/BIFMA X 5.5, 2008 - KEYBOARD SUPPORT AND INPUT DEVICE SUPPORT ADJUSTMENT
UL 1286	Office Furnishings	5	TABLE 33.3, SECTION 4.2	ANSI/BIFMA X 5.5, 2008 - STABILITY WITH EXTENDIBLE ELEMENTS OPEN
UL 1286	Office Furnishings	5	TABLE 33.3, SECTION 4.3	ANSI/BIFMA X 5.5, 2008 -STABILITY UNDER VERTICAL LOAD TEST
UL 1286	Office Furnishings	5	TABLE 33.3, SECTION 4.4	ANSI/BIFMA X 5.5, 2008 - HORIZONTAL STABILITY FOR DESK/TABLES WITH CASTERS
UL 1286	Office Furnishings	5	TABLE 33.3, SECTION 4.5	ANSI/BIFMA X 5.5, 2008 - FORCE STABILITY FOR TALL DESK/TABLE PRODUCTS
UL 1286	Office Furnishings	5	TABLE 33.3, SECTION 5.4	ANSI/BIFMA X 5.5, 2008 -CONCENTRATED PROOF LOAD TEST
UL 1286	Office Furnishings	5	TABLE 33.3, SECTION 5.5	ANSI/BIFMA X 5.5, 2008 -DISTRIBUTED PROOF LOAD TEST
UL 1286	Office Furnishings	5	TABLE 33.3, SECTION 5.6	ANSI/BIFMA X 5.5, 2008 - TRANSACTIONAL SURFACE TORSION LOAD
UL 1286	Office Furnishings	5	TABLE 33.3, SECTION 5.7	ANSI/BIFMA X 5.5, 2008 - EXTENDIBLE ELEMENT STATIC LOAD
UL 1286	Office Furnishings	5	TABLE 33.3, SECTION 5.8	ANSI/BIFMA X 5.5, BENCHING SYSTEMS – DISTRIBUTED FUNCTIONAL LOAD & STABILITY
UL 1286	Office Furnishings	5	TABLE 33.3, SECTION 5.9	ANSI/BIFMA X 5.5, BENCHING SYSTEMS – DISTRIBUTED PROOF LOAD
UL 1286	Office Furnishings	5	TABLE 33.3, SECTION 8	ANSI/BIFMA X 5.5, 2008 -LEG STRENGTH TEST
UL 1286	Office Furnishings	5	TABLE 33.3, SECTION 9	ANSI/BIFMA X 5.5, 2008 - DISENGAGEMENT FOR TALL DESK/TABLE PRODUCTS
UL 1310	Class 2 Power Units	6	26	LEAKAGE CURRENT TEST
UL 1310	Class 2 Power Units	6	27	LEAKAGE CURRENT AND DIELECTRIC VOLTAGE WITHSTAND AFTER HUMIDITY EXPOSURE
UL 1310	Class 2 Power Units	6	28	MAXIMUM OUTPUT VOLTAGE
UL 1310	Class 2 Power Units	6	29	MAXIMUM INPUT TEST
UL 1310	Class 2 Power Units	6	30	OUTPUT CURRENT AND POWER
UL 1310	Class 2 Power Units	6	32	FULL-LOAD OUTPUT CURRENT TEST
UL 1310	Class 2 Power Units	6	33	NORMAL TEMPERATURE TEST
UL 1310	Class 2 Power Units	6	34	DIELECTRIC VOLTAGE WITHSTAND TEST AFTER LEAKAGE CURRENT TEST
UL 1310	Class 2 Power Units	6	34.2	DIELECTRIC VOLTAGE WITHSTAND TEST - INDUCED POTENTIAL

Data Acceptance Program (DAP) Assessment Report

Project Number: 4787589426 / Assessment conducted on January 10-12, 2017 / File Number: DA592

Standard Number:	Standard Title:	Standard Edition (Amendment):	Clause:	Test method:
UL 1310	Class 2 Power Units	6	39.2	OUTPUT LOADING TEST
UL 1310	Class 2 Power Units	6	39.3	OUTPUT LOADING - ALTERNATE METHOD
UL 1310	Class 2 Power Units	6	39.4	ABNORMAL - TRANSFORMER BURNOUT
UL 1310	Class 2 Power Units	6	39.4.3	TRANSFORMER BURNOUT TEST (LINEAR DESIGN) - ABNORMAL
UL 1310	Class 2 Power Units	6	39.4.4	TRANSFORMER BURNOUT TEST (SWITCHING MODE DESIGNS) - ABNORMAL
UL 1310	Class 2 Power Units	6	39.7	ABNORMAL - COMPONENT BREAKDOWN
UL 1310	Class 2 Power Units	6	41	STRAIN RELIEF TEST
UL 1310	Class 2 Power Units	6	42	PUSH-BACK RELIEF
UL 1310	Class 2 Power Units	6	78.2	PERFORMANCE - ABNORMAL TEMPERATURE TEST
UL 1310	Class 2 Power Units	6	78.3	PERFORMANCE - STRAIN RELIEF TEST
UL 153	Portable Electric Luminaires	13	144	NORMAL TEMPERATURE - GENERAL
UL 153	Portable Electric Luminaires	13	144.4	NORMAL TEMPERATURE WITH CHANGE OF RESISTANCE
UL 153	Portable Electric Luminaires	13	145	SPECIFIC TEST CONDITIONS - FREE STANDING AND SURFACE MOUNTED UNITS
UL 153	Portable Electric Luminaires	13	146.1	NORMAL TEMPERATURE-OTHER THAN POT STYLE
UL 153	Portable Electric Luminaires	13	146.2	NORMAL TEMPERATURE-POT STYLE
UL 153	Portable Electric Luminaires	13	147	SPECIFIC TEST CONDITIONS - WORK LIGHTS
UL 153	Portable Electric Luminaires	13	148	SPECIFIC TEST CONDITIONS - PORTABLE HAND LIGHTS
UL 153	Portable Electric Luminaires	13	149.2	ABNORMAL OPERATION-GENERAL
UL 153	Portable Electric Luminaires	13	149.3	ABNORMAL OPERATION - ADJUSTABLE OR FLEXIBLE SHADE POSITION
UL 153	Portable Electric Luminaires	13	149.4	ABNORMAL OPERATION - MULTIPLE SHADES
UL 153	Portable Electric Luminaires	13	149.5	ABNORMAL OPERATION - FOLDING POSITION
UL 153	Portable Electric Luminaires	13	151	ABNORMAL OPERATION - COMPONENT FAULT
UL 153	Portable Electric Luminaires	13	153	STABILITY
UL 153	Portable Electric Luminaires	13	154	STRAIN RELIEF
UL 153	Portable Electric Luminaires	13	155	DROP
UL 153	Portable Electric Luminaires	13	156	SECURITY OF SCREWS TEST
UL 153	Portable Electric Luminaires	13	158	GROUNDING CONTINUITY
UL 153	Portable Electric Luminaires	13	159	DIELECTRIC VOLTAGE-WITHSTAND
UL 153	Portable Electric Luminaires	13	178	MOUNTING MEANS TEST - SURFACE MOUNTED
UL 153	Portable Electric Luminaires	13	179.2	MOUNTING MEANS - CHAIN AND SUSPENDED
UL 153	Portable Electric Luminaires	13	179.3	MOUNTING MEANS-SWAG UNIT
UL 153	Portable Electric Luminaires	13	179.4	MOUNTING MEANS-HANGING UNIT
UL 153	Portable Electric Luminaires	13	181	MOUNTING MEANS TEST - CLAMP-ON UNIT
UL 153	Portable Electric Luminaires	13	182	MECHANICAL MEANS OF POLARITY
UL 153	Portable Electric Luminaires	13	183	TRACK CLIP SECUREMENT
UL 153	Portable Electric Luminaires	13	184	ASSEMBLY AND INSTALLATION
UL 153	Portable Electric Luminaires	13	186.3	WET LOCATION USE: RAIN
UL 153	Portable Electric Luminaires	13	186.4	WET LOCATION USE: SPRINKLER
UL 153	Portable Electric Luminaires	13	188.4	GASKET ACCELERATED AGING TEST - TEST METHOD B
UL 153	Portable Electric Luminaires	13	191.2	CONTINUOUS OPERATION
UL 153	Portable Electric Luminaires	13	191.3	MANUAL MANIPULATION
UL 153	Portable Electric Luminaires	13	192	PORTABLE HAND LIGHT CRUSHING
UL 153	Portable Electric Luminaires	13	193	DROP TEST
UL 153	Portable Electric Luminaires	13	194	PORTABLE HAND LIGHT CONDUCTOR SECURENESS
UL 153	Portable Electric Luminaires	13	195	DIELECTRIC VOLTAGE-WITHSTAND TEST
UL 1574	TRACK LIGHTING SYSTEMS	3	53	GROUNDING RESISTANCE TEST
UL 1574	TRACK LIGHTING SYSTEMS	3	54.2	NORMAL TEMPERATURE -HID FIXTURE ASSEMBLY
UL 1574	TRACK LIGHTING SYSTEMS	3	54.3	NORMAL TEMPERATURE - FIXTURE ASSEMBLIES
UL 1574	TRACK LIGHTING SYSTEMS	3	54.4	NORMAL TEMPERATURE - SURFACE MOUNTED TRACK

Data Acceptance Program (DAP) Assessment Report

Project Number: 4787589426 / Assessment conducted on January 10-12, 2017 / File Number: DA592

Standard Number:	Standard Title:	Standard Edition (Amendment):	Clause:	Test method:
UL 1574	TRACK LIGHTING SYSTEMS	3	54.5	NORMAL TEMPERATURE - RECESSED TRACK
UL 1574	TRACK LIGHTING SYSTEMS	3	55	ABNORMAL TEMPERATURE - RECESSED MOUNTING TRACK
UL 1574	TRACK LIGHTING SYSTEMS	3	56	SECURITY OF KNOCKOUT
UL 1574	TRACK LIGHTING SYSTEMS	3	57	MOLD STRESS DISTORTION
UL 1574	TRACK LIGHTING SYSTEMS	3	59	ADAPTOR OVERLOAD
UL 1574	TRACK LIGHTING SYSTEMS	3	60.1	STRENGTH OF ADAPTOR
UL 1574	TRACK LIGHTING SYSTEMS	3	60.2	ADAPTOR MOMENT
UL 1574	TRACK LIGHTING SYSTEMS	3	61.2	DROP IMPACT
UL 1574	TRACK LIGHTING SYSTEMS	3	61.3	BALL IMPACT
UL 1574	TRACK LIGHTING SYSTEMS	3	62.2	HORIZONTAL CONDUCTOR DISPLACEMENT
UL 1574	TRACK LIGHTING SYSTEMS	3	62.3	VERTICAL CONDUCTOR DISPLACEMENT
UL 1574	TRACK LIGHTING SYSTEMS	3	63	FIELD TRACK CUTTING
UL 1574	TRACK LIGHTING SYSTEMS	3	64	TRACK-CLIP SECUREMENT
UL 1574	TRACK LIGHTING SYSTEMS	3	65	PENDANT-MOUNTED TRACK TORQUE
UL 1574	TRACK LIGHTING SYSTEMS	3	66	STRENGTH OF FIXTURE ASSEMBLY
UL 1574	TRACK LIGHTING SYSTEMS	3	67	PENDANT-MOUNTED TRACK/CONNECTOR STRENGTH TEST
UL 1574	TRACK LIGHTING SYSTEMS	3	68	TRACK RIGIDITY
UL 1574	TRACK LIGHTING SYSTEMS	3	69	MECHANICAL MEANS OF POLARITY
UL 1574	TRACK LIGHTING SYSTEMS	3	70	FIELD DRILLING
UL 1574	TRACK LIGHTING SYSTEMS	3	72.2	STRAIN RELIEF CORD PENDANT LUMINAIRE HEAD
UL 1574	TRACK LIGHTING SYSTEMS	3	73.1.1	STRAIN RELIEF TEST-LAMP SUPPORTED LAMP HOLDERS AND EXPOSED WIRE OR CORDS
UL 1574	TRACK LIGHTING SYSTEMS	3	73.2.1	STRAIN RELIEF - LAMP SUPPORTED LAMP HOLDER & EXPOSED WORES OR CORDS
UL 1574	TRACK LIGHTING SYSTEMS	3	73.3	EXPOSED WIRES OR CORDS USED TO LIMIT LUMINAIRE MOTION
UL 1598/CSA-C22.2 No. 250.0	Luminaires	3	14.1	NORMAL TEMPERATURE TESTS - GENERAL
UL 1598/CSA-C22.2 No. 250.0	Luminaires	3	14.10	THROUGH-WIRING JUNCTION BOX TEMPERATURE
UL 1598/CSA-C22.2 No. 250.0	Luminaires	3	14.11	RACEWAY TEMPERATURE
UL 1598/CSA-C22.2 No. 250.0	Luminaires	3	14.12	TEMPERATURE TEST- (MEX) TEMPERATURE RISE
UL 1598/CSA-C22.2 No. 250.0	Luminaires	3	14.2	NORMAL TEMPERATURE TESTS - SURFACE CEILING LUMINAIRES
UL 1598/CSA-C22.2 No. 250.0	Luminaires	3	14.3	NORMAL TEMPERATURE TESTS - SURFACE WALL LUMINAIRES
UL 1598/CSA-C22.2 No. 250.0	Luminaires	3	14.4	UNDER-CABINET LUMINAIRES
UL 1598/CSA-C22.2 No. 250.0	Luminaires	3	14.5	TYPE NON-IC RECESSED LUMINAIRES
UL 1598/CSA-C22.2 No. 250.0	Luminaires	3	14.6	TYPE NON-IC MARKED SPACINGS LUMINAIRES

Data Acceptance Program (DAP) Assessment Report

Project Number: 4787589426 / Assessment conducted on January 10-12, 2017 / File Number: DA592

Standard Number:	Standard Title:	Standard Edition (Amendment):	Clause:	Test method:
UL 1598/CSA-C22.2 No. 250.0	Luminaires	3	14.7	TYPE IC RECESSED LUMINAIRES
UL 1598/CSA-C22.2 No. 250.0	Luminaires	3	14.8	TYPE IC INHERENTLY PROTECTED RECESSED LUMINAIRES
UL 1598/CSA-C22.2 No. 250.0	Luminaires	3	14.9	RECESSED LUMINAIRES FOR USE IN POURED CONCRETE
UL 1598/CSA-C22.2 No. 250.0	Luminaires	3	15.1	ABNORMAL TEMPERATURE/RECESSED
UL 1598/CSA-C22.2 No. 250.0	Luminaires	3	15.2	TYPE NON-IC RECESSED LUMINAIRES
UL 1598/CSA-C22.2 No. 250.0	Luminaires	3	15.3	TYPE NON-IC MARKED SPACINGS INCANDESCENT AND HID RECESSED LUMINAIRES
UL 1598/CSA-C22.2 No. 250.0	Luminaires	3	15.4	TYPE IC INCANDESCENT RECESSED LUMINAIRES
UL 1598/CSA-C22.2 No. 250.0	Luminaires	3	15.5	ABNORMAL OVERLAMPING OPERATION TEST FOR INCANDESCENT LUMINAIRES WITH POLYMERIC HOUSINGS OR ENCLOSURES
UL 1598/CSA-C22.2 No. 250.0	Luminaires	3	16.1	BARRIER STRENGTH
UL 1598/CSA-C22.2 No. 250.0	Luminaires	3	16.10	POLYMERIC SUPPORT
UL 1598/CSA-C22.2 No. 250.0	Luminaires	3	16.13	CONDUIT KNOCKOUT AND TWISTOUT
UL 1598/CSA-C22.2 No. 250.0	Luminaires	3	16.14	SELF-THREADING SCREW TORQUE
UL 1598/CSA-C22.2 No. 250.0	Luminaires	3	16.15	LOADING
UL 1598/CSA-C22.2 No. 250.0	Luminaires	3	16.16	SNAP IN OR TAB MOUNTED PARTS PULL TEST WITHOUT CONDUIT OPENING
UL 1598/CSA-C22.2 No. 250.0	Luminaires	3	16.17	SNAP IN OR TAB MOUNTED PARTS PULL TEST WITH CONDUIT OPENING
UL 1598/CSA-C22.2 No. 250.0	Luminaires	3	16.18	SUSPENDED CEILING LUMINAIRES - SECURITY OF CLIPS
UL 1598/CSA-C22.2 No. 250.0	Luminaires	3	16.19	MOVABLE JOINT ROTATION
UL 1598/CSA-C22.2 No. 250.0	Luminaires	3	16.2.2	METAL THICKNESS EQUIVALENCY-COMPRESSION

Data Acceptance Program (DAP) Assessment Report

Project Number: 4787589426 / Assessment conducted on January 10-12, 2017 / File Number: DA592

Standard Number:	Standard Title:	Standard Edition (Amendment):	Clause:	Test method:
UL 1598/CSA-C22.2 No. 250.0	Luminaires	3	16.2.3	METAL THICKNESS EQUIVALENCY - IMPACT
UL 1598/CSA-C22.2 No. 250.0	Luminaires	3	16.2.4	METAL THICKNESS EQUIVALENCY-FLEXING
UL 1598/CSA-C22.2 No. 250.0	Luminaires	3	16.2.5.2	METAL THICKNESS EQUIVALENCY-TORQUE
UL 1598/CSA-C22.2 No. 250.0	Luminaires	3	16.2.5.3	METAL THICKNESS EQUIVALENCY-CANTILEVER
UL 1598/CSA-C22.2 No. 250.0	Luminaires	3	16.20	MOVABLE JOINT TORSION AND PULL
UL 1598/CSA-C22.2 No. 250.0	Luminaires	3	16.21.1	STRAIN RELIEF FOR FLEXIBLE CORD
UL 1598/CSA-C22.2 No. 250.0	Luminaires	3	16.21.2	STRAIN RELIEF FOR CONDUCTORS
UL 1598/CSA-C22.2 No. 250.0	Luminaires	3	16.22	TEMPERED GLASS IMPACT
UL 1598/CSA-C22.2 No. 250.0	Luminaires	3	16.23	GLASS SUPPORT BY ADHESIVE
UL 1598/CSA-C22.2 No. 250.0	Luminaires	3	16.24	GLASS SUPPORTED BY FRICTION OR ADHESIVE
UL 1598/CSA-C22.2 No. 250.0	Luminaires	3	16.31	JUNCTION BOX RIGIDITY
UL 1598/CSA-C22.2 No. 250.0	Luminaires	3	16.32	SPLICE INSPECTION
UL 1598/CSA-C22.2 No. 250.0	Luminaires	3	16.34	LAMPHOLDER PULL
UL 1598/CSA-C22.2 No. 250.0	Luminaires	3	16.35	LAMPHOLDER MOUNTING BRACKET STOP
UL 1598/CSA-C22.2 No. 250.0	Luminaires	3	16.38	LAMPHOLDER LEAD PULL
UL 1598/CSA-C22.2 No. 250.0	Luminaires	3	16.39	GROUND SCREW ASSEMBLY STRENGTH
UL 1598/CSA-C22.2 No. 250.0	Luminaires	3	16.4	MOLD STRESS RELIEF
UL 1598/CSA-C22.2 No. 250.0	Luminaires	3	16.40	CABLE PULL

Data Acceptance Program (DAP) Assessment Report

Project Number: 4787589426 / Assessment conducted on January 10-12, 2017 / File Number: DA592

Standard Number:	Standard Title:	Standard Edition (Amendment):	Clause:	Test method:
UL 1598/CSA-C22.2 No. 250.0	Luminaires	3	16.41	POLYMERIC IMPACT
UL 1598/CSA-C22.2 No. 250.0	Luminaires	3	16.5.2	RAIN
UL 1598/CSA-C22.2 No. 250.0	Luminaires	3	16.5.3	SPRINKLER
UL 1598/CSA-C22.2 No. 250.0	Luminaires	3	16.5.4	IMMERSION
UL 1598/CSA-C22.2 No. 250.0	Luminaires	3	16.5.8	LUMINAIRE GASKET ASSEMBLY ACCELERATED AGING
UL 1598/CSA-C22.2 No. 250.0	Luminaires	3	17.1	DIELECTRIC VOLTAGE WITHSTAND
UL 1598/CSA-C22.2 No. 250.0	Luminaires	3	17.2	BOND IMPEDANCE
UL 1598/CSA-C22.2 No. 250.0	Luminaires	3	17.3	INTERLOCK SWITCH ENDURANCE
UL 1598/CSA-C22.2 No. 250.0	Luminaires	3	19.13.2	NORMAL TEMPERATURE
UL 1838	LOW VOLTAGE LANDSCAPE LIGHTING SYSTEMS	3	28.1	INPUT TEST
UL 1838	LOW VOLTAGE LANDSCAPE LIGHTING SYSTEMS	3	28.2	MAXIMUM OUTPUT TEST
UL 1838	LOW VOLTAGE LANDSCAPE LIGHTING SYSTEMS	3	29	OVERLOAD TEST
UL 1838	LOW VOLTAGE LANDSCAPE LIGHTING SYSTEMS	3	30	BURNOUT TEST
UL 1838	LOW VOLTAGE LANDSCAPE LIGHTING SYSTEMS	3	31	ENDURANCE TEST
UL 1838	LOW VOLTAGE LANDSCAPE LIGHTING SYSTEMS	3	32	DIELECTRIC VOLTAGE WITHSTAND TEST
UL 1838	LOW VOLTAGE LANDSCAPE LIGHTING SYSTEMS	3	33	TEMPERATURE TEST
UL 1838	LOW VOLTAGE LANDSCAPE LIGHTING SYSTEMS	3	34	GROUNDING CONTINUITY TEST
UL 1838	LOW VOLTAGE LANDSCAPE LIGHTING SYSTEMS	3	35	LEAKAGE CURRENT TEST
UL 1838	LOW VOLTAGE LANDSCAPE LIGHTING SYSTEMS	3	37.2	IMPACT CONDITIONING
UL 1838	LOW VOLTAGE LANDSCAPE LIGHTING SYSTEMS	3	37.5	SPRINKLER TEST
UL 1838	LOW VOLTAGE LANDSCAPE LIGHTING SYSTEMS	3	37.6	IMMERSION TEST
UL 1838	LOW VOLTAGE LANDSCAPE LIGHTING SYSTEMS	3	37.9	RAIN TEST
UL 1838	LOW VOLTAGE LANDSCAPE LIGHTING SYSTEMS	3	38	STRAIN RELIEF TEST
UL 1838	LOW VOLTAGE LANDSCAPE LIGHTING SYSTEMS	3	39	SCREW TORQUE TEST
UL 1838	LOW VOLTAGE LANDSCAPE LIGHTING SYSTEMS	3	40.2	PULLOUT
UL 1838	LOW VOLTAGE LANDSCAPE LIGHTING SYSTEMS	3	40.3	TORQUE
UL 1838	LOW VOLTAGE LANDSCAPE LIGHTING SYSTEMS	3	40.4	BENDING

Data Acceptance Program (DAP) Assessment Report

Project Number: 4787589426 / Assessment conducted on January 10-12, 2017 / File Number: DA592

Standard Number:	Standard Title:	Standard Edition (Amendment):	Clause:	Test method:
UL 1838	LOW VOLTAGE LANDSCAPE LIGHTING SYSTEMS	3	41	TESTS ON KNOCKOUTS
UL 1838	LOW VOLTAGE LANDSCAPE LIGHTING SYSTEMS	3	42	IMPACT TEST ON UNITS WITH OPEN HOLES
UL 1838	LOW VOLTAGE LANDSCAPE LIGHTING SYSTEMS	3	43	COMPONENT FAULT TEST
UL 1838	LOW VOLTAGE LANDSCAPE LIGHTING SYSTEMS	3	44	SHORT CIRCUIT TEST
UL 1838	LOW VOLTAGE LANDSCAPE LIGHTING SYSTEMS	3	54	TEMPERATURE
UL 1838	LOW VOLTAGE LANDSCAPE LIGHTING SYSTEMS	3	55	INSULATION PIERCING TERMINAL TEMPERATURE
UL 1838	LOW VOLTAGE LANDSCAPE LIGHTING SYSTEMS	3	62.2	SEVERE CONDITIONS
UL 1838	LOW VOLTAGE LANDSCAPE LIGHTING SYSTEMS	3	62.3	VERTICAL SURFACE TEST
UL 1838	LOW VOLTAGE LANDSCAPE LIGHTING SYSTEMS	3	62.4	OVERLAMPING TEST
UL 1838	LOW VOLTAGE LANDSCAPE LIGHTING SYSTEMS	3	69	TEMPERATURE
UL 1993/CSA-C22.2 No. 1993	Self-Ballasted Lamps and Lamp Adapters	4/2	8.10	DEFLECTION TEST
UL 1993/CSA-C22.2 No. 1993	Self-Ballasted Lamps and Lamp Adapters	4/2	8.11	STRAIN RELIEF TEST FOR LAMP CONNECTORS
UL 1993/CSA-C22.2 No. 1993	Self-Ballasted Lamps and Lamp Adapters	4/2	8.12	TESTS OF DIMMER CIRCUITS
UL 1993/CSA-C22.2 No. 1993	Self-Ballasted Lamps and Lamp Adapters	4/2	8.13	HUMIDITY CONDITIONING
UL 1993/CSA-C22.2 No. 1993	Self-Ballasted Lamps and Lamp Adapters	4/2	8.14	WATER SPARY TEST
UL 1993/CSA-C22.2 No. 1993	Self-Ballasted Lamps and Lamp Adapters	4/2	8.15	COLD IMPACT TEST
UL 1993/CSA-C22.2 No. 1993	Self-Ballasted Lamps and Lamp Adapters	4/2	8.2	INPUT MEASUREMENTS
UL 1993/CSA-C22.2 No. 1993	Self-Ballasted Lamps and Lamp Adapters	4/2	8.3	LAMP STARTING AND OPERATING MEASUREMENTS
UL 1993/CSA-C22.2 No. 1993	Self-Ballasted Lamps and Lamp Adapters	4/2	8.4	LEAKAGE-CURRENT TEST
UL 1993/CSA-C22.2 No. 1993	Self-Ballasted Lamps and Lamp Adapters	4/2	8.5	TEMPERATURE TEST
UL 1993/CSA-C22.2 No. 1993	Self-Ballasted Lamps and Lamp Adapters	4/2	8.6	DIELECTRIC VOLTAGE - WITHSTAND TEST
UL 1993/CSA-C22.2 No. 1993	Self-Ballasted Lamps and Lamp Adapters	4/2	8.7	HARMONIC DISTORTION TEST
UL 1993/CSA-C22.2 No. 1993	Self-Ballasted Lamps and Lamp Adapters	4/2	8.8	DROP IMPACT TEST

Data Acceptance Program (DAP) Assessment Report

Project Number: 4787589426 / Assessment conducted on January 10-12, 2017 / File Number: DA592

Standard Number:	Standard Title:	Standard Edition (Amendment):	Clause:	Test method:
UL 1993/CSA-C22.2 No. 1993	Self-Ballasted Lamps and Lamp Adapters	4/2	8.9	MOLD-STRESS RELIEF CONDITIONING
UL 1993/CSA-C22.2 No. 1993	Self-Ballasted Lamps and Lamp Adapters	4/2	SA8.10	DEFLECTION
UL 1993/CSA-C22.2 No. 1993	Self-Ballasted Lamps and Lamp Adapters	4/2	SA8.11	STRAIN RELIEF TEST FOR LAMP CONNECTORS
UL 1993/CSA-C22.2 No. 1993	Self-Ballasted Lamps and Lamp Adapters	4/2	SA8.12	TESTS OF DIMMER CIRCUITS
UL 1993/CSA-C22.2 No. 1993	Self-Ballasted Lamps and Lamp Adapters	4/2	SA8.13	HUMIDITY CONDITIONING
UL 1993/CSA-C22.2 No. 1993	Self-Ballasted Lamps and Lamp Adapters	4/2	SA8.14	WATER SPRAY TEST
UL 1993/CSA-C22.2 No. 1993	Self-Ballasted Lamps and Lamp Adapters	4/2	SA8.15	COLD IMPACT
UL 1993/CSA-C22.2 No. 1993	Self-Ballasted Lamps and Lamp Adapters	4/2	SA8.2	INPUT MEASUREMENTS
UL 1993/CSA-C22.2 No. 1993	Self-Ballasted Lamps and Lamp Adapters	4/2	SA8.22	LED LAMP AND DRIVER ABNORMAL CONDITION
UL 1993/CSA-C22.2 No. 1993	Self-Ballasted Lamps and Lamp Adapters	4/2	SA8.3	LAMP STARTING AND OPERATING MEASUREMENTS
UL 1993/CSA-C22.2 No. 1993	Self-Ballasted Lamps and Lamp Adapters	4/2	SA8.4	LEAKAGE-CURRENT
UL 1993/CSA-C22.2 No. 1993	Self-Ballasted Lamps and Lamp Adapters	4/2	SA8.5	TEMPERATURE
UL 1993/CSA-C22.2 No. 1993	Self-Ballasted Lamps and Lamp Adapters	4/2	SA8.6	DIELECTRIC VOLTAGE - WITHSTAND TEST
UL 1993/CSA-C22.2 No. 1993	Self-Ballasted Lamps and Lamp Adapters	4/2	SA8.7	HARMONIC DISTORTION TEST
UL 1993/CSA-C22.2 No. 1993	Self-Ballasted Lamps and Lamp Adapters	4/2	SA8.8	DROP IMPACT TEST
UL 1993/CSA-C22.2 No. 1993	Self-Ballasted Lamps and Lamp Adapters	4/2	SA8.9	MOLD-STRESS RELIEF CONDITIONING
UL 496/CSA-C22.2 No. 43	Lampholders	13/6	5.1.2	SECURITY OF LEADS TEST
UL 496/CSA-C22.2 No. 43	Lampholders	13/6	5.2.17	MOLD STRESS-RELIEF DISTORTION TEST

Data Acceptance Program (DAP) Assessment Report

Project Number: 4787589426 / Assessment conducted on January 10-12, 2017 / File Number: DA592

Standard Number:	Standard Title:	Standard Edition (Amendment):	Clause:	Test method:
UL 746C	POLYMERIC MATERIALS-USE IN ELECTRICAL EQUIPMENT EVALUATIONS	6	22	IMPACT TEST
UL 746C	POLYMERIC MATERIALS-USE IN ELECTRICAL EQUIPMENT EVALUATIONS	6	29	MOLD STRESS TEST
UL 8750	Light Emitting Diode (LED) Equipment for Use in Lighting Products	2	8.10	CORD STRAIN AND PUSHBACK RELIEF
UL 8750	Light Emitting Diode (LED) Equipment for Use in Lighting Products	2	8.12	INSULATION-PIERCING CONNECTION THERMAL CYCLING
UL 8750	Light Emitting Diode (LED) Equipment for Use in Lighting Products	2	8.13	ADHESIVE SUPPORT
UL 8750	Light Emitting Diode (LED) Equipment for Use in Lighting Products	2	8.14.1	ENVIRONMENTAL TESTS - HUMIDITY EXPOSURE
UL 8750	Light Emitting Diode (LED) Equipment for Use in Lighting Products	2	8.14.2	ENVIRONMENTAL TESTS -WATER EXPOSURE
UL 8750	Light Emitting Diode (LED) Equipment for Use in Lighting Products	2	8.15	MECHANICAL STRENGTH TESTS FOR METAL ENCLOSURES
UL 8750	Light Emitting Diode (LED) Equipment for Use in Lighting Products	2	8.16	DETERMINATION OF LOW-VOLTAGE, LIMITED-ENERGY CIRCUIT STATUS
UL 8750	Light Emitting Diode (LED) Equipment for Use in Lighting Products	2	8.2	INPUT
UL 8750	Light Emitting Diode (LED) Equipment for Use in Lighting Products	2	8.3	TEMPERATURE
UL 8750	Light Emitting Diode (LED) Equipment for Use in Lighting Products	2	8.4	TEMPERATURE TEST ALCOVE
UL 8750	Light Emitting Diode (LED) Equipment for Use in Lighting Products	2	8.6	DIELECTRIC VOLTAGE WITHSTAND
UL 8750	Light Emitting Diode (LED) Equipment for Use in Lighting Products	2	8.7.2	ABNORMAL - COMPONENT FAILURE
UL 8750	Light Emitting Diode (LED) Equipment for Use in Lighting Products	2	8.7.3	ABNORMAL - OUTPUT LOADING
UL 8750	Light Emitting Diode (LED) Equipment for Use in Lighting Products	2	8.7.4	OUTPUT LOADING - ALTERNATE METHOD
UL 8750	Light Emitting Diode (LED) Equipment for Use in Lighting Products	2	8.8	CIRCUIT POWER LIMIT MEASUREMENT
UL 8750	Light Emitting Diode (LED) Equipment for Use in Lighting Products	2	8.9	LEAKAGE CURRENT MEASUREMENT
UL 8752/ULC-S8752	Organic Light Emitting Diode (OLED) Panels	1	18	INPUT POWER
UL 8752/ULC-S8752	Organic Light Emitting Diode (OLED) Panels	1	19	TEMPERATURE
UL 8752/ULC-S8752	Organic Light Emitting Diode (OLED) Panels	1	20	ABNORMAL INPUT
UL 8752/ULC-S8752	Organic Light Emitting Diode (OLED) Panels	1	21	COMPONENT FAULT
UL 8752/ULC-S8752	Organic Light Emitting Diode (OLED) Panels	1	23	GLASS BREAKAGE WEIGHT
UL 8752/ULC-S8752	Organic Light Emitting Diode (OLED) Panels	1	24	STATIC LOAD MOUNTING
UL 8752/ULC-S8752	Organic Light Emitting Diode (OLED) Panels	1	25	CONDUCTOR SECURENESS
UL 8753/ULC-S8753	Field-Replaceable Light Emitting Diode (LED) Light Engines	1	8.10	TESTS OF DIMMER CIRCUITS
UL 8753/ULC-S8753	Field-Replaceable Light Emitting Diode (LED) Light Engines	1	8.11	HUMIDITY CONDITIONING
UL 8753/ULC-S8753	Field-Replaceable Light Emitting Diode (LED) Light Engines	1	8.12	WATER SPRAY
UL 8753/ULC-S8753	Field-Replaceable Light Emitting Diode (LED) Light Engines	1	8.13	COLD DROP
UL 8753/ULC-S8753	Field-Replaceable Light Emitting Diode (LED) Light Engines	1	8.14	ABNORMAL CONDITION TESTS – LIGHT ENGINE

Data Acceptance Program (DAP) Assessment Report

Project Number: 4787589426 / Assessment conducted on January 10-12, 2017 / File Number: DA592

Standard Number:	Standard Title:	Standard Edition (Amendment):	Clause:	Test method:
UL 8753/ULC-S8753	Field-Replaceable Light Emitting Diode (LED) Light Engines	1	8.15	MILLIVOLT DROP
UL 8753/ULC-S8753	Field-Replaceable Light Emitting Diode (LED) Light Engines	1	8.16	MECHANICAL CYCLING
UL 8753/ULC-S8753	Field-Replaceable Light Emitting Diode (LED) Light Engines	1	8.17	ABNORMAL OVERLOAD
UL 8753/ULC-S8753	Field-Replaceable Light Emitting Diode (LED) Light Engines	1	8.19	ABNORMAL TEMPERATURE
UL 8753/ULC-S8753	Field-Replaceable Light Emitting Diode (LED) Light Engines	1	8.2	INPUT MEASUREMENTS
UL 8753/ULC-S8753	Field-Replaceable Light Emitting Diode (LED) Light Engines	1	8.20	15 VA AVAILABLE POWER MEASUREMENT
UL 8753/ULC-S8753	Field-Replaceable Light Emitting Diode (LED) Light Engines	1	8.3	LEAKAGE-CURRENT
UL 8753/ULC-S8753	Field-Replaceable Light Emitting Diode (LED) Light Engines	1	8.4	TEMPERATURE
UL 8753/ULC-S8753	Field-Replaceable Light Emitting Diode (LED) Light Engines	1	8.5	DIELECTRIC VOLTAGE-WITHSTAND
UL 8753/ULC-S8753	Field-Replaceable Light Emitting Diode (LED) Light Engines	1	8.6	HARMONIC DISTORTION
UL 8753/ULC-S8753	Field-Replaceable Light Emitting Diode (LED) Light Engines	1	8.7	DROP
UL 8753/ULC-S8753	Field-Replaceable Light Emitting Diode (LED) Light Engines	1	8.8	MOLD-STRESS RELIEF CONDITIONING
UL 8753/ULC-S8753	Field-Replaceable Light Emitting Diode (LED) Light Engines	1	8.9	DEFLECTION
UL 8754/ULC-S8754	Holders, Bases, and Connectors for Solid-State (LED) Light Engines and Arrays	1	5.11	SECURITY OF LEADS
UL 8754/ULC-S8754	Holders, Bases, and Connectors for Solid-State (LED) Light Engines and Arrays	1	5.9	HUMIDITY CONDITIONING (FOLLOWED BY DIELECTRIC VOLTAGE WITHSTAND)
UL 879	Electric Sign Components	9	3.4.1.1	MOLD STRESS-RELIEF DISTORTION TEST
UL 879	Electric Sign Components	9	3.4.1.2	KNOCKOUT TEST
UL 879	Electric Sign Components	9	3.4.1.3.2	STRAIN-RELIEF TEST / POWER SUPPLY CORD
UL 879	Electric Sign Components	9	3.4.1.3.3	STRAIN-RELIEF TEST / FIELD WIRING LEAD
UL 879	Electric Sign Components	9	3.4.2.2	INPUT TEST
UL 879	Electric Sign Components	9	3.4.2.3	NORMAL TEMPERATURE TEST
UL 879	Electric Sign Components	9	3.4.2.5	DIELECTRIC VOLTAGE-WITHSTAND TEST
UL 962	Household and Commercial Furnishings	4	35	ADHESIVE SECUREMENT
UL 962	Household and Commercial Furnishings	4	36.1	STRUCTURAL TEST REQUIREMENTS FOR FURNISHINGS - GENERAL LOADING
UL 962	Household and Commercial Furnishings	4	36.3	WEIGHT DROP
UL 962	Household and Commercial Furnishings	4	37	APPURTENANCE STRENGTH
UL 962	Household and Commercial Furnishings	4	38.10	FORCE STABILITY
UL 962	Household and Commercial Furnishings	4	38.11	STABILITY TESTS - COMMERCIAL FURNISHING IMPACT STABILITY
UL 962	Household and Commercial Furnishings	4	38.3	STABILITY TEST FOR PORTABLE FURNISHINGS
UL 962	Household and Commercial Furnishings	4	38.4	STABILITY TESTS FOR STATIONARY AND FIXED FURNISHINGS
UL 962	Household and Commercial Furnishings	4	38.5	STABILITY TEST FOR FURNISHINGS HAVING A SUPPORT SURFACE OR MOUNTING SURFACE FOR A TELEVISION (TV) OR MONITOR
UL 962	Household and Commercial Furnishings	4	38.6	APPURTENANCE STABILITY
UL 962	Household and Commercial Furnishings	4	38.7	STABILITY TEST FOR FURNISHINGS PROVIDED WITH A STEP

Data Acceptance Program (DAP) Assessment Report

Project Number: 4787589426 / Assessment conducted on January 10-12, 2017 / File Number: DA592

Standard Number:	Standard Title:	Standard Edition (Amendment):	Clause:	Test method:
UL 962	Household and Commercial Furnishings	4	38.7, 38.8	STABILITY-FURNISHINGS PROVIDED WITH A STEP OR FOOT REST
UL 962	Household and Commercial Furnishings	4	38.8	STABILITY TEST FOR FURNISHINGS PROVIDED WITH A FOOT OR LEG REST
UL 962	Household and Commercial Furnishings	4	39.2	SUSPENDED FURNISHING, SECUREMENT
UL 962	Household and Commercial Furnishings	4	39.3	VERTICALLY SECURED - BASE SUPPORTED, SECUREMENT
UL 962	Household and Commercial Furnishings	4	39.4	BASE SECURED - BASE SUPPORTED, SECUREMENT
UL 962	Household and Commercial Furnishings	4	40.1	TESTS ON GLASS SHEETS - IMPACT
UL 962	Household and Commercial Furnishings	4	40.2	RETENTION
UL 962	Household and Commercial Furnishings	4	41	WHEEL, ROLLER, OR CASTER SECUREMENT
UL 962	Household and Commercial Furnishings	4	42	COMMON NORTH AMERICAN STRUCTURES
UL 962	Household and Commercial Furnishings	4	45	ENTRAPMENT FORCE MEASUREMENT
UL 962	Household and Commercial Furnishings	4	49	LEAKAGE CURRENT
UL 962	Household and Commercial Furnishings	4	53.1	STRAIN RELIEF - CORDS
UL 962	Household and Commercial Furnishings	4	53.2	STRAIN RELIEF - STRAIN RELIEF FOR INTERNAL CONDUCTORS AND CONNECTORS
UL 962	Household and Commercial Furnishings	4	54	GROUNDING-IMPEDANCE
UL 962	Household and Commercial Furnishings	4	55	DIELECTRIC VOLTAGE-WITHSTAND
UL 962	Household and Commercial Furnishings	4	62	SPILL
UL 962	Household and Commercial Furnishings	4	SD11.2	LOADING
UL 962	Household and Commercial Furnishings	4	SD11.3	GROUNDING-IMPEDANCE
UL 962	Household and Commercial Furnishings	4	SD11.4	DIELECTRIC VOLTAGE-WITHSTAND
UL 962	Household and Commercial Furnishings	4	SD11.5	TEMPERATURE TEST - GENERAL
UL 962	Household and Commercial Furnishings	4	SD11.6	STRENGTH OF ENCLOSURES TESTS
UL 962	Household and Commercial Furnishings	4	SD11.7	FLEXING
UL 962	Household and Commercial Furnishings	4	SD11.8	RETENTION TESTS ON ELECTRICAL MATING CONNECTORS
UL 962	Household and Commercial Furnishings	4	SD11.9	TESTS ON MECHANICAL CONNECTORS
CSA-C22.2 No. 250.13-14	Light Emitting Diode (LED) Equipment for Lighting Applications	2	9.14	KNOCKOUT SECUREMENT TEST
UL 1310	Class 2 Power Units	6	40	TEST ON INSULATING MATERIALS
CSA-C22.2 No. 250.4-14	Portable Luminaires	1	14.101	NORMAL TEMPERATURE TESTS - GENERAL
CSA-C22.2 No. 250.4-14	Portable Luminaires	1	14.102	NORMAL TEMPERATURE TESTS - ADJACENT SURFACE TEMPERATURES
CSA-C22.2 No. 250.4-14	Portable Luminaires	1	14.104	NORMAL TEMPERATURE TESTS FOR SURFACE-MOUNTED CABINET LUMINAIRES
CSA-C22.2 No. 250.4-14	Portable Luminaires	1	14.105	NORMAL TEMPERATURE TESTS FOR RECESS - MOUNTED CABINET LIGHTS(EXTRA LOW VOLTAGE SYSTEM)
CSA-C22.2 No. 250.4-14	Portable Luminaires	1	14.106	NORMAL TEMPERATURE TEST FOR UNDER-CABINET LIGHT
CSA-C22.2 No. 250.4-14	Portable Luminaires	1	14.107	NORMAL TEMPERATURE TEST FOR WORK LIGHT
CSA-C22.2 No. 250.4-14	Portable Luminaires	1	15.1	ABNORMAL TEMPERATURE TEST FOR FREE STANDING LUMINAIRES
CSA-C22.2 No. 250.4-14	Portable Luminaires	1	15.1.7	ABNORMAL TEMPERATURE TEST - HORIZONTAL
CSA-C22.2 No. 250.4-14	Portable Luminaires	1	15.3	ABNORMAL TEMPERATURE TEST FOR SURFACE MOUNTED CABINET LUMINAIRES
CSA-C22.2 No. 250.4-14	Portable Luminaires	1	15.4	ABNORMAL TEMPERATURE TEST FOR RECESS-MOUNTED CABINET LIGHTS(EXTRA LOW VOLTAGE SYSTEM)
CSA-C22.2 No. 250.4-14	Portable Luminaires	1	15.5	ABNORMAL TEMPERATURE TEST FOR UNDERCABINET LIGHTS

Data Acceptance Program (DAP) Assessment Report

Project Number: 4787589426 / Assessment conducted on January 10-12, 2017 / File Number: DA592

Standard Number:	Standard Title:	Standard Edition (Amendment):	Clause:	Test method:
CSA-C22.2 No. 250.4-14	Portable Luminaires	1	16.21.1	STRAIN RELIEF FOR FLEXIBLE CORDS
CSA-C22.2 No. 250.4-14	Portable Luminaires	1	16.101	MAXIMUM TIPPING MOMENT
CSA-C22.2 No. 250.4-14	Portable Luminaires	1	16.102	STABILITY
CSA-C22.2 No. 250.4-14	Portable Luminaires	1	16.103	HUMIDITY
CSA-C22.2 No. 250.4-14	Portable Luminaires	1	16.104	DROP TEST FOR EXTENSION HAND LAMPS
CSA-C22.2 No. 250.4-14	Portable Luminaires	1	16.105	ABNORMAL EXTENSION HAND LAMP ENCLOSURE INTEGRITY
CSA-C22.2 No. 250.4-14	Portable Luminaires	1	16.106	EXCLUSION OF WATER TEST
CSA-C22.2 No. 250.4-14	Portable Luminaires	1	16.107	DEFLECTION TEST
CSA-C22.2 No. 250.4-14	Portable Luminaires	1	16.108	DROP TEST
CSA-C22.2 No. 250.4-14	Portable Luminaires	1	16.109	ACCELERATED AGING
CSA-C22.2 No. 250.4-14	Portable Luminaires	1	16.11	MOUNTING SECURITY TEST
CSA-C22.2 No. 250.4-14	Portable Luminaires	1	17.1	DIELECTRIC VOLTAGE WITHSTAND
CSA-C22.2 No. 250.4-14	Portable Luminaires	1	17.101	LEAKAGE CURRENT TEST
CSA-C22.2 No. 250.4-14	Portable Luminaires	1	17.102	RATING FOR EXTENSION HANDLAMPS
CSA-C22.2 No. 250.4-14	Portable Luminaires	1	17.103	TESTS FOR RECHARGEABLE FLASHLIGHT
UL 1977	Component Connectors For Use In Data Signal Control And Power Applications	3	15	OVERLOAD
UL 2108	LOW VOLTAGE LIGHTING SYSTEMS	2	33.1	INPUT TEST
UL 2108	LOW VOLTAGE LIGHTING SYSTEMS	2	33.2	MAXIMUM OUTPUT TEST
UL 2108	LOW VOLTAGE LIGHTING SYSTEMS	2	34.1	NORMAL TEMPERATURE TEST - GENERAL
UL 2108	LOW VOLTAGE LIGHTING SYSTEMS	2	34.2	POWER UNITS
UL 2108	LOW VOLTAGE LIGHTING SYSTEMS	2	34.3.1	NORMAL TEMPERATURE-SURFACE MOUNTED
UL 2108	LOW VOLTAGE LIGHTING SYSTEMS	2	34.3.2	NORMAL TEMPERATURE-RECESSED MOUNTED
UL 2108	LOW VOLTAGE LIGHTING SYSTEMS	2	34.3.3	NORMAL TEMPERATURE-CABINET MOUNTED
UL 2108	LOW VOLTAGE LIGHTING SYSTEMS	2	34.3.4	NORMAL TEMPERATURE-UNDER CABINET OR SHELF MOUNTED
UL 2108	LOW VOLTAGE LIGHTING SYSTEMS	2	35	ABNORMAL RECESSED TEMPERATURE
UL 2108	LOW VOLTAGE LIGHTING SYSTEMS	2	36	OVERLOAD
UL 2108	LOW VOLTAGE LIGHTING SYSTEMS	2	37	DIELECTRIC VOLTAGE WITHSTAND
UL 2108	LOW VOLTAGE LIGHTING SYSTEMS	2	38	EXPOSED BARE CONDUCTOR ABNORMAL OPERATION TEST
UL 2108	LOW VOLTAGE LIGHTING SYSTEMS	2	39	COMPONENT FAULT
UL 2108	LOW VOLTAGE LIGHTING SYSTEMS	2	40	GROUNDING CONTINUITY
UL 2108	LOW VOLTAGE LIGHTING SYSTEMS	2	41	STRAIN RELIEF FOR FLEXIBLE CORD TEST
UL 2108	LOW VOLTAGE LIGHTING SYSTEMS	2	42.1	MOUNTING MEANS - TENSION LOADING
UL 2108	LOW VOLTAGE LIGHTING SYSTEMS	2	42.2	MOUNTING MEANS - GRAVITY LOADING
UL 2108	LOW VOLTAGE LIGHTING SYSTEMS	2	43	INSULATED CONDUCTOR DIELECTRIC WITHSTAND TEST

Data Acceptance Program (DAP) Assessment Report

Project Number: 4787589426 / Assessment conducted on January 10-12, 2017 / File Number: DA592

Standard Number:	Standard Title:	Standard Edition (Amendment):	Clause:	Test method:
UL 2108	LOW VOLTAGE LIGHTING SYSTEMS	2	44	LOOSE LUMINAIRE/CONNECTION
UL 2108	LOW VOLTAGE LIGHTING SYSTEMS	2	45	INSULATION PIERCING TERMINAL TEMPERATURE
UL 2108	LOW VOLTAGE LIGHTING SYSTEMS	2	60	NORMAL TEMPERATURE
UL 2108	LOW VOLTAGE LIGHTING SYSTEMS	2	61	ABNORMAL RECESSED TEMPERATURE
UL 2108	LOW VOLTAGE LIGHTING SYSTEMS	2	62	LUMINAIRE DROP IMPACT TEST
UL 2108	LOW VOLTAGE LIGHTING SYSTEMS	2	63	STRAIN RELIEF FOR CONDUCTOR TEST
UL 48	ELECTRIC SIGNS	15	5.2	TEMPERATURE TEST
UL 48	ELECTRIC SIGNS	15	5.3	DIELECTRIC VOLTAGE-WITHSTAND TEST
UL 48	ELECTRIC SIGNS	15	5.4.2	STRAIN-RELIEF TEST - POWER SUPPLY CORD
UL 48	ELECTRIC SIGNS	15	5.4.3	STRAIN-RELIEF TEST - INTERNAL WIRING
UL 48	ELECTRIC SIGNS	15	5.4.4	STRAIN-RELIEF TEST - SUPPLY LEADS
UL 48	ELECTRIC SIGNS	15	5.5	MECHANICAL: STABILITY TEST
UL 48	ELECTRIC SIGNS	15	5.6	MECHANICAL: MOUNTING TEST
UL 48	ELECTRIC SIGNS	15	5.7	GASKET AGING
UL 48	ELECTRIC SIGNS	15	5.9	EXCLUSION OF WATER TEST
UL 48	ELECTRIC SIGNS	15	5.1	BOND IMPEDANCE
UL 48	ELECTRIC SIGNS	15	5.16	MOLD STRESS RELIEF DISTORTION
UL 48	ELECTRIC SIGNS	15	5.18	CONDUIT KNOCKOUT AND TWISTOUT
UL 48	ELECTRIC SIGNS	15	5.19	LEAKAGE CURRENT
UL 50/CSA-C22.2 No. 94.1	ENCLOSURES FOR ELECTRICAL EQUIPMENT	13	8.6.2	PULLOUT
UL 50/CSA-C22.2 No. 94.1	ENCLOSURES FOR ELECTRICAL EQUIPMENT	13	8.6.3	TORQUE
UL 50/CSA-C22.2 No. 94.1	ENCLOSURES FOR ELECTRICAL EQUIPMENT	13	8.6.4	BENDING
UL 924	EMERGENCY LIGHTING AND POWER EQUIPMENT	10	43.3	LUMINANCE MEASUREMENT TEST
UL 924	EMERGENCY LIGHTING AND POWER EQUIPMENT	10	46	LEAKAGE CURRENT
UL 924	EMERGENCY LIGHTING AND POWER EQUIPMENT	10	47	NORMAL OPERATION
UL 924	EMERGENCY LIGHTING AND POWER EQUIPMENT	10	48	BATTERY DISCHARGE
UL 924	EMERGENCY LIGHTING AND POWER EQUIPMENT	10	49	INPUT
UL 924	EMERGENCY LIGHTING AND POWER EQUIPMENT	10	49	DETERMINATION OF LOW VOLTAGE
UL 924	EMERGENCY LIGHTING AND POWER EQUIPMENT	10	50	DETERMINING OF LOW VOLTAGE, LIMITED - ENERGY CIRCUIT STATUS
UL 924	EMERGENCY LIGHTING AND POWER EQUIPMENT	10	52	TEMPERATURE
UL 924	EMERGENCY LIGHTING AND POWER EQUIPMENT	10	53	OVERVOLTAGE WITHSTAND
UL 924	EMERGENCY LIGHTING AND POWER EQUIPMENT	10	54	UNDERVOLTAGE RECHARGE CAPABILITY
UL 924	EMERGENCY LIGHTING AND POWER EQUIPMENT	10	56	DIELECTRIC VOLTAGE-WITHSTAND
UL 924	EMERGENCY LIGHTING AND POWER EQUIPMENT	10	59	STRAIN RELIEF
UL 924	EMERGENCY LIGHTING AND POWER EQUIPMENT	10	60	CONDUCTOR SECURENESS
UL 924	EMERGENCY LIGHTING AND POWER EQUIPMENT	10	63	GROUNDING CONTINUITY
UL 924	EMERGENCY LIGHTING AND POWER EQUIPMENT	10	64	SECURITY OF KNOCKOUT
UL 924	EMERGENCY LIGHTING AND POWER EQUIPMENT	10	65	SWIVEL TORSION AND PULL
UL 924	EMERGENCY LIGHTING AND POWER EQUIPMENT	10	66	COMPONENT BREAKDOWN
UL 924	EMERGENCY LIGHTING AND POWER EQUIPMENT	10	67	HUMIDITY CONDITIONING
UL 924	EMERGENCY LIGHTING AND POWER EQUIPMENT	10	68	IMPACT

Data Acceptance Program (DAP) Assessment Report

Project Number: 4787589426 / Assessment conducted on January 10-12, 2017 / File Number: DA592

Standard Number:	Standard Title:	Standard Edition (Amendment):	Clause:	Test method:
UL 924	EMERGENCY LIGHTING AND POWER EQUIPMENT	10	69	MECHANICAL SUPPORT STATIC LOAD
UL 924	EMERGENCY LIGHTING AND POWER EQUIPMENT	10	70	BARRIER STRENGTH TEST
UL 924	EMERGENCY LIGHTING AND POWER EQUIPMENT	10	78.1	OUTPUT LOAD POWER FACTOR
UL 924	EMERGENCY LIGHTING AND POWER EQUIPMENT	10	78.2	BATTERY DISCHARGE
UL 924	EMERGENCY LIGHTING AND POWER EQUIPMENT	10	78.3	OUTPUT VOLTAGE AND FREQUENCY
UL 924	EMERGENCY LIGHTING AND POWER EQUIPMENT	10	80.2	OUTPUT VOLTAGE AND CURRENT
UL 924	EMERGENCY LIGHTING AND POWER EQUIPMENT	10	80.3	ABNORMAL CONDITIONS
UL 924	EMERGENCY LIGHTING AND POWER EQUIPMENT	10	SC4.5	SPRINKLER
UL 924	EMERGENCY LIGHTING AND POWER EQUIPMENT	10	SC4.6	RAIN
UL 924	EMERGENCY LIGHTING AND POWER EQUIPMENT	10	SC4.7	THERMAL CONDITIONING
UL 924	EMERGENCY LIGHTING AND POWER EQUIPMENT	10	SC4.9	HUMIDITY CONDITIONING
UL 924	EMERGENCY LIGHTING AND POWER EQUIPMENT	10	SD4	TRANSFORMER DIELECTRIC
UL 924	EMERGENCY LIGHTING AND POWER EQUIPMENT	10	SD5	TRANSFORMER INDUCED POTENTIAL
UL 924	EMERGENCY LIGHTING AND POWER EQUIPMENT	10	SD6.2	TRANSFORMER BURNOUT
UL 924	EMERGENCY LIGHTING AND POWER EQUIPMENT	10	SD6.3	TRANSFORMER OVERLOAD
UL 924	EMERGENCY LIGHTING AND POWER EQUIPMENT	10	SD7	TRANSFORMER INSULATING MATERIALS
UL 924	EMERGENCY LIGHTING AND POWER EQUIPMENT	10	SG2	MINIMUM LIGHT OUTPUT FOR EMERGENCY LIGHTING EQUIPMENT - PERFORMANCE
UL 496/CSA-C22.2 No. 43	Lampholders	13/6	5.1.4	DIELECTRIC VOLTAGE WITHSTAND
UL 879	Electric Sign Components	9	3.4.1.4	SELF-THREADING SCREW TORQUE
UL 924	EMERGENCY LIGHTING AND POWER EQUIPMENT	10	43.3	LUMINANCE MEASUREMENT TEST
UL 924	EMERGENCY LIGHTING AND POWER EQUIPMENT	10	46	LEAKAGE CURRENT
UL 924	EMERGENCY LIGHTING AND POWER EQUIPMENT	10	47	NORMAL OPERATION
UL 924	EMERGENCY LIGHTING AND POWER EQUIPMENT	10	48	BATTERY DISCHARGE
UL 924	EMERGENCY LIGHTING AND POWER EQUIPMENT	10	49	INPUT
UL 924	EMERGENCY LIGHTING AND POWER EQUIPMENT	10	49	DETERMINATION OF LOW VOLTAGE
UL 924	EMERGENCY LIGHTING AND POWER EQUIPMENT	10	50	DETERMINING OF LOW VOLTAGE, LIMITED - ENERGY CIRCUIT STATUS
UL 924	EMERGENCY LIGHTING AND POWER EQUIPMENT	10	52	TEMPERATURE
UL 924	EMERGENCY LIGHTING AND POWER EQUIPMENT	10	53	OVERVOLTAGE WITHSTAND
UL 924	EMERGENCY LIGHTING AND POWER EQUIPMENT	10	54	UNDERVOLTAGE RECHARGE CAPABILITY
UL 924	EMERGENCY LIGHTING AND POWER EQUIPMENT	10	56	DIELECTRIC VOLTAGE-WITHSTAND
UL 924	EMERGENCY LIGHTING AND POWER EQUIPMENT	10	59	STRAIN RELIEF
UL 924	EMERGENCY LIGHTING AND POWER EQUIPMENT	10	60	CONDUCTOR SECURENESS
UL 924	EMERGENCY LIGHTING AND POWER EQUIPMENT	10	63	GROUNDING CONTINUITY
UL 924	EMERGENCY LIGHTING AND POWER EQUIPMENT	10	64	SECURITY OF KNOCKOUT
UL 924	EMERGENCY LIGHTING AND POWER EQUIPMENT	10	65	SWIVEL TORSION AND PULL
UL 924	EMERGENCY LIGHTING AND POWER EQUIPMENT	10	66	COMPONENT BREAKDOWN

Data Acceptance Program (DAP) Assessment Report

Project Number: 4787589426 / Assessment conducted on January 10-12, 2017 / File Number: DA592

Standard Number:	Standard Title:	Standard Edition (Amendment):	Clause:	Test method:
UL 924	EMERGENCY LIGHTING AND POWER EQUIPMENT	10	67	HUMIDITY CONDITIONING
UL 924	EMERGENCY LIGHTING AND POWER EQUIPMENT	10	68	IMPACT
UL 924	EMERGENCY LIGHTING AND POWER EQUIPMENT	10	69	MECHANICAL SUPPORT STATIC LOAD
UL 924	EMERGENCY LIGHTING AND POWER EQUIPMENT	10	70	BARRIER STRENGTH TEST
UL 924	EMERGENCY LIGHTING AND POWER EQUIPMENT	10	78.1	OUTPUT LOAD POWER FACTOR
UL 924	EMERGENCY LIGHTING AND POWER EQUIPMENT	10	78.2	BATTERY DISCHARGE
UL 924	EMERGENCY LIGHTING AND POWER EQUIPMENT	10	78.3	OUTPUT VOLTAGE AND FREQUENCY
UL 924	EMERGENCY LIGHTING AND POWER EQUIPMENT	10	80.2	OUTPUT VOLTAGE AND CURRENT
UL 924	EMERGENCY LIGHTING AND POWER EQUIPMENT	10	80.3	ABNORMAL CONDITIONS
UL 924	EMERGENCY LIGHTING AND POWER EQUIPMENT	10	SC4.5	SPRINKLER
UL 924	EMERGENCY LIGHTING AND POWER EQUIPMENT	10	SC4.6	RAIN
UL 924	EMERGENCY LIGHTING AND POWER EQUIPMENT	10	SC4.7	THERMAL CONDITIONING
UL 924	EMERGENCY LIGHTING AND POWER EQUIPMENT	10	SC4.9	HUMIDITY CONDITIONING
UL 924	EMERGENCY LIGHTING AND POWER EQUIPMENT	10	SD4	TRANSFORMER DIELECTRIC
UL 924	EMERGENCY LIGHTING AND POWER EQUIPMENT	10	SD5	TRANSFORMER INDUCED POTENTIAL
UL 924	EMERGENCY LIGHTING AND POWER EQUIPMENT	10	SD6.2	TRANSFORMER BURNOUT
UL 924	EMERGENCY LIGHTING AND POWER EQUIPMENT	10	SD6.3	TRASFORMER OVERLOAD
UL 924	EMERGENCY LIGHTING AND POWER EQUIPMENT	10	SD7	TRANSFORMER INSULATING MATERIALS
UL 924	EMERGENCY LIGHTING AND POWER EQUIPMENT	10	SG2	MINIMUM LIGHT OUTPUT FOR EMERGENCY LIGHTING EQUIPMENT - PERFORMANCE
UL 962	Household and Commercial Furnishings	4	34.1	Conditioning of Polymeric Components
UL 962	Household and Commercial Furnishings	4	34.2	Conditioning of components secured by adhesive
UL 962	Household and Commercial Furnishings	4	48	PORTABLE FURNISHING DROP
UL 962	Household and Commercial Furnishings	4	50	STARTING
UL 962	Household and Commercial Furnishings	4	60.2	ABNORMAL - OPERATION
UL 962	Household and Commercial Furnishings	4	60.3	ABNORMAL - OUTPUT
UL 962	Household and Commercial Furnishings	4	60.4	ABNORMAL - ELECTRONIC COMPONENTS
UL1598A	Standard for Supplemental Requirements for Luminaires for Installation on Marine Vessels	1	4.1 (d)	CORROSION PROTECTION - SALT SPRAY (FOG) TEST - ASTM B117
UL 48	ELECTRIC SIGNS	15	5.20	SELF-THREADING SCREW TORQUE
UL 1310	Class 2 Power Units	6	40	TEST ON INSULATION MATERIALS
UL 1993/CSA-C22.2 No. 1993	Self-Ballasted Lamps and Lamp Adapters	4/2	8.16	LAMP FAULT CONDITIONS TEST
UL 1993/CSA-C22.2 No. 1993	Self-Ballasted Lamps and Lamp Adapters	4/2	SA8.16	LAMP FAULT CONDITIONS TEST
UL 1574	Track Lighting Systems	3	55A	Strain Relief
UL 1574	Track Lighting Systems	3	58	Insulation Resistance Test
UL 879	ELECTRIC SIGN COMPENTS	9	3.4.1.4	SELF THREADING SCREW TORQUE
CSA C22.2 No. 141-15	EMERGENCY LIGHTING EQUIPMENT	5	7.4	Rating Input
CSA C22.2 No. 141-15	EMERGENCY LIGHTING EQUIPMENT	5	7.6	Leakage Current
CSA C22.2 No. 141-15	EMERGENCY LIGHTING EQUIPMENT	5	7.9	Charging Means
CSA C22.2 No. 141-15	EMERGENCY LIGHTING EQUIPMENT	5	7.10	Cycling Test

Data Acceptance Program (DAP) Assessment Report

Project Number: 4787589426 / Assessment conducted on January 10-12, 2017 / File Number: DA592

Standard Number:	Standard Title:	Standard Edition (Amendment):	Clause:	Test method:
CSA C22.2 No. 141-15	EMERGENCY LIGHTING EQUIPMENT	5	7.12	Minimum Extreme Voltage
CSA C22.2 NO.141	Emergency Lighting Equipment	5	17.7	Swivel Test
CSA-C22.2 No. 9	GENERAL REQUIRMENTS FOR LUMINAIRES	2006	13.6	SWIVEL-JOINT ROTATION